## Millimeter Wave Studies Cited by IEEE

While millimeter wave frequencies are new to wireless networks, they are extremely well understood by the international scientific community. The IEEE, which the FCC describes as "internationally recognized for [its] expertise in this area," has assembled a list of dozens and dozens of studies on millimeter wave frequencies.

In December 2019, the FCC, which regulates radiofrequency emissions in the United States, adopted the recommendations of expert organizations that have reviewed the science, including from the IEEE, and reaffirmed that its safety standards "ensure the health and safety of workers and consumers of wireless technology," and that "no scientific evidence establishes a causal link between wireless device use and cancer or other illnesses."

The followings studies were cited in the IEEE Standard C95.1 in 1991/1992, 2005, or 2019 radio frequency exposure standards:

- Rosenthal S. W., Birenbaum L., Kaplan I. T., Metlay W., Snyder W. Z., Zaret M. M., "Effects of 35 and 107 GHz CW microwaves on the rabbit eye." In: Johnson C.C. and Shore M.L.(eds), Biological Effects of Electromagnetic Waves, U.S. Dept. of Health, Education and Welfare, Washington, DC, HEW Publication (FDA) 77-8010, vol. 1, pp. 110–128, 1976.
- Webb, S. J. and M. E. Stoneham, "Resonances Between 100 and 1000 GHz in Active Bacterial Cells as Seen by Laser Raman Spectroscopy," Physics Letters, 60A (3), pp. 267–268, 1977.
- 3. Gandhi, O. P., M.J. Hagmann, D. W. Hill, L. M. Partlow, and L. Bush, "Millimeter Wave Absorption Spectra of Biological Samples," *Bioelectromagnetics*, 1 (3), pp. 285–298, 1980.
- Motzkin, S. M., R. L. Melnick, C. Rubenstein, S. Rosenthal, and L. Birenbaum, "Effects of Millimeter Wave Irradiation on Mitochondral Oxidative Phosphorylation and Ca<sup>++</sup> Transport," Proceedings of URSI International Symposium on Electromagnetic Waves and Biology, June-July 1980, Paris, France, pp. 109–115, 1980.
- Bush L. G., Hill D. W., Riazi A., Stensaas L. J., Partlow L. M., Gandhi O. P., "Effects of millimeter wave radiation on monolayer cell cultures. III. A search for frequency-specific athermal biological effects on protein synthesis," Bioelectromagnetics, vol. 2, pp. 151– 159, 1981.
- Partlow, L. M., L. G: Bush, L. J. Stensaas, D. W. Hill, A. Riazi, and O. P. Gandhi, "Effects of Millimeter-Wave Radiation on Monolayer Cell Cultures. I. Design and Validation of a Novel Exposure System," *Bioelectromagnetics*, 2 (2), pp. 123–140, 1981.
- Stensaas, L. J., L. M. Partlow, L. G. Bush, P. L. Iverson, D. W. Hill, M. J. Hagmann, and O. P. Gandhi, "Effects of Millimeter-Wave Radiation on Monolayer Cell Cultures. II. Scanning and Transmission Electron Microscopy," *Bioelectromagnetics*, 2 (2), pp. 141– 150, 1981.
- Melnick R. L., Rubenstein C. P., Birenbaum L., "Effects of millimeter wave irradiation on ATP synthesis and calcium transport in mitochondria," Radiat. Res., vol. 89, pp. 348– 360, 1982.

- Kremer F., Koschnitzke C., Santo L., Quick P., Poglitsch A., "The non-thermal effect of millimeter wave radiation on the puffing of giant chromosomes," Z Naturforsch [C], vol. 38, pp. 883–886, 1983.
- 10. Aslan, E., "A Two MHz to Forty GHz Electromagnetic Radiation Probe," *International Microwave Power Institute Symposium Digest*, Minneapolis, MN, Sep. 17–19, 1984.
- Gandhi, O. P., Riazi, A, "Absorption of millimeter waves by human beings and its biological implications," *IEEE Trans. Microwave Theory Tech.*, vol. 34, pp. 228–235, 1986.
- Lukashevsky, K. V., and Belyaev, I. Y., "Switching of prophage lambda genes in Escherichia coli by millimeter waves," Medical Science Research, vol. 18, pp. 955–957, 1990.
- 13. UNEP/WHO/IRPA, "Electromagnetic Fields (300 Hz-300 GHz)," Geneva, World Health Organization, Environmental Health Criteria 137, 1993.
- 14. Neshev N. N., Kirilova E. I., "Possible nonthermal influence of millimeter waves on proton transfer in biomembranes," Electro. Magnetobiol., vol. 13, pp. 191–194, 1994.
- 15. Alekseev, S. I., and Ziskin, M. C., "Millimeter microwave effect on ion transport across lipid bilayer membranes," Bioelectromagnetics, vol. 16, pp. 124–131, 1995 [IEEE-538].
- 16. Frei, M. R., Ryan, K., Berger, R., and Jauchem, J. R., "Sustained 35 GHz radiofrequency irradiation induces circulatory failure," Shock, vol. 4, pp. 289–293, 1995, <u>https://journals.lww.com/shockjournal/Abstract/1995/10000/SUSTAINED\_35\_GHz\_RA</u> <u>DIOFREQUENCY\_IRRADIATION.10.aspx</u>.
- 17. Logani M. K., Ziskin M. C., "Continuous millimeter-wave radiation has no effect on lipid peroxidation in liposomes," Radiat. Res., vol. 145, pp. 231–235, 1996.
- Ryan K. L., Frei M. R., Berger R. E., Jauchem J. R., "Does nitric oxide mediate circulatory failure induced by 35-GHz microwave heating?," Shock, vol. 6, pp. 71–76, 1996,

https://journals.lww.com/shockjournal/Abstract/1996/07000/DOES\_NITRIC\_OXIDE\_M EDIATE\_CIRCULATORY\_FAILURE.15.aspx.

- 19. Alekseev S. I., Ziskin, M. C., Kochetkova, N. V., and Bolshakov, M. A., "Millimeter waves thermally alter the firing rate of the Lymnaea pacemaker neuron," Bioelectromagnetics, vol. 18, pp. 89–98, 1997.
- 20. Health Council of the Netherlands: Radiofrequency Electromagnetic Fields Committee, Radiofrequency Electromagnetic Fields (300 Hz–300 GHz), Rijswijk: Health Council of the Netherlands, 1997; publication nr 1997/01, <u>https://www.healthcouncil.nl/documents/advisory-reports/1997/01/28/radiofrequency-</u> electromagnetic-fields-300-hz-300-ghz.
- USAFRL Digest, Infrared Lasers & Millimeter Waves Workshop: The Links Between Microwaves & Laser Optics, U.S. Air Force Research Laboratories, Brooks AFB, TX, January, 1997, <u>https://archive.org/details/DTIC\_ADA361483/page/n3</u>.
- ICNIRP (International Commission on Non-Ionizing Radiation Protection), "Guidelines for limiting exposure to time-varying electric, magnetic, and electromagnetic fields (up to 300 GHz)," *Health Physics*, vol. 74, pp. 494–522, 1998, https://www.icnirp.org/cms/upload/publications/ICNIRPemfgdl.pdf.
- Rojavin, M. A., and Ziskin, M. C., "Medical application of millimeter waves," Quarterly Journal of Medicine, vol. 91, pp. 57–66, 1998, <u>https://academic.oup.com/gjmed/article/91/1/57/1570406</u>.

- 24. Jauchem J. R., Ryan K. L., Frei M. R., "Cardiovascular and thermal responses in rats during 94 GHz irradiation," *Bioelectromagnetics*, vol. 20, pp. 264–267, 1999.
- 25. Kues H. A., D'Anna S. A., Osiander R., Green W. R., Monahan J. C., "Absence of ocular effects after either single or repeated exposure to 10 mW/cm2 from a 60 GHz source," *Bioelectromagnetics*, vol. 20, pp. 463 473, 1999.
- 26. Logani, M. K., Yi, L., and Ziskin, M. C., "Millimeter waves enhance delayed-type hypersensitivity in mouse skin," Electro- and Magnetobiology, vol. 18, pp. 165–176, 1999.
- 27. Radzievsky, A. A., Rojavin, M. A., Cowan, A., and Ziskin, M. C., "Suppression of pain sensation caused by millimeter waves: A double blind, crossover, prospective human volunteer study," Anesthesia & Analgesia, vol. 88, pp.836-840, 1999, <u>https://journals.lww.com/anesthesia-</u> <u>analgesia/fulltext/1999/04000/Suppression\_of\_Pain\_Sensation\_Caused\_by\_Millimeter.2</u> 9.aspx.
- 28. IEE, "The possible harmful biological effects of low level electromagnetic fields of frequencies up to 300 GHz," Position statement, The Institution of Electrical Engineers Biological Effects Policy Advisory Group, May 2000.
- 29. Rojavin, M. A., Radzievsky, A. A., Cowan, A., and Ziskin, M. C., "Pain relief caused by millimeter waves in mice: Results of cold water tail flick tests," International Journal of Radiation Biology, vol. 76, no. 4, pp. 575–579, 2000.
- Walters T. J., Blick D. W., Johnson L. R., Adair E. R., Foster K. R., "Heating and pain sensation produced in human skin by millimeter waves: comparison to a simple thermal model," Health Phys., vol. 78, pp. 259–267, 2000.
- Alekseev S. I., Ziskin M. C., "Distortion of millimeter wave absorption in biological media due to the presence of thermocouples and other objects," IEEE Trans. Biomed. Eng., vol. 48, pp. 1013–1019, 2001.
- 32. Mason P. A., Walters T. J., DiGiovanni J., Jauchem J., Dick E., Mahajan K., "Lack of effect of 94 GHz radio frequency radiation exposure in an animal model of skin carcinogenesis," Carcinogenesis, vol. 22, pp. 1701–1708, 2001, <u>https://academic.oup.com/carcin/article/22/10/1701/2733727</u>.
- 33. Szabo I., Rojavin M. A., Rogers T. J., Ziskin M. C., "Reactions of keratinocytes to in vitro millimeter wave exposure," Bioelectromagnetics, vol. 22, pp. 358–364, 2001.
- 34. ARPANSA, "Maximum Exposure Levels to Radiofrequency Fields—3 kHz to 300 GHz," *Radiation Protection Series Publication No. 3*, Australian Radiation Protection and Nuclear Safety Agency, Australian Radiation Protection & Nuclear Safety Agency, Lower Plenty Road, Yallambie VIC 3085, 2002.
- 35. Chalfin, S., D'Andrea, J. A., Comeau, P. D., Belt, M. E., and Hatcher, D. J., "Millimeter wave absorption in the nonhuman primate eye at 35 GHz and 94 GHz," Health Physics, vol. 83, pp. 83–90, 2002.
- 36. CENELEC, European Standard EN 50383, "Basic Standard for the Calculation and Measurement of Electromagnetic Field Strength and SAR Related to Human Exposure from Radio Base Stations and Fixed Terminal Stations For Wireless Telecommunication Systems (110 MHz–40 GHz)," European Committee for Electrotechnical Standardization, August 2002.
- 37. EN 50383:2002, Basic Standard for the Calculation and Measurement of Electromagnetic Field Strength and SAR Related to Human Exposure from Radio Base Stations and Fixed

Terminal Stations for Wireless Telecommunication Systems (110 MHz–40 GHz), European Committee for Electrotechnical Standardization (CENELEC).

- Logani M. K., Anga A., Szabo I., Agelan A., Irizarry A. R., Ziskin M. C., "Effect of millimeter waves on cyclophosphamide induced suppression of the immune system," Bioelectromagnetics, vol. 23, pp. 614–621, 2002.
- Makar, V. R., Logani, M. K., et al., "Effect of millimeter waves on cyclophosphamide induced suppression of T cell functions," Bioelectromagnetics, vol. 24, no. 5, pp. 356– 365, 2003.
- NRPB, "Consultation Document—Proposals for limiting exposure to electromagnetic fields (0–300 GHz)," National Radiological Protection Board, Chilton, Didcot, OX11 0RQ, 185, U.K., May 2003.
- Szabo, I., Manning, M. R., Radzievsky, A. A., Wetzel, M. A., Rogers, T. J., and Ziskin, M. C., "Low power millimeter wave irradiation exerts no harmful effect on human keratinocytes in vitro," Bioelectromagnetics, vol. 24, pp. 165–173, 2003.
- 42. NRPB, "Review of the scientific evidence for limiting exposure to electromagnetic fields (0–300 GHz)," Documents of the NRPB, vol. 12, no. 3, National Radiological Protection Board, Chilton, Didcot, Oxfordshire, UK, 2004a, <u>https://webarchive.nationalarchives.gov.uk/20140714065300/http://www.hpa.org.uk/Publ</u> ications/Radiation/NPRBArchive/DocumentsOfTheNRPB/Absd1503/.
- 43. NRPB, "Advice on limiting exposure to electromagnetic fields (0–300 GHz)," *Documents of the NRPB*, vol. 15, no. 2, National Radiological Protection Board, Chilton, Didcot, Oxfordshire, UK, 2004b, <u>https://webarchive.nationalarchives.gov.uk/20140713082604/http://www.hpa.org.uk/Publ</u> <u>ications/Radiation/NPRBArchive/DocumentsOfTheNRPB/Absd1502/</u>.
- Alekseev, S. I., Radzievsky, A. A., Szabo, I., and Ziskin, M. C., "Local heating of human skin by millimeter waves: Effect of blood flow," *Bioelectromagnetics*, vol. 26, pp. 489– 501, 2005.
- Beneduci, A., Chidichimo, G., De Rose, R., Filippelli, L., Straface, S. V., and Venuta, S., "Frequency and irradiation time-dependant antiproliferative effect of low-power millimeter waves on RPMI 7932 human melanoma cell line," Anticancer Research, vol. 25, no. 2A, 1023–1028, 2005, <u>http://ar.iiarjournals.org/content/25/2A/1023.long</u>.
- 46. Makar, V. R., Logani, M. K., et al., "Effect of millimeter waves on natural killer cell activation," Bioelectromagnetics, vol. 26, no. 1, pp. 10–19, 2005.
- Makar, V. R., Logani, M. K., et al., "Effect of cyclophosphamide and 61.22 GHz millimeter waves on T-cell, B-cell, and macrophage functions," Bioelectromagnetics, vol. 27, no. 6, pp. 458–466, 2006.
- 48. Millenbauch, N. J., Kiel, J. L., Ryan, K. L., Blystone, R. V., Kalns, J. E., Brott, B. J., Cerna, C. Z., Lawrence, W. S., Soza, L. L., and Mason, P. A., "Comparison of blood pressure and thermal responses in rats exposed to millimeter wave energy or environmental heat," Shock, vol. 25, no. 6, pp. 625–632, 2006.
- Szabo, I., Kappelmayer, J., et al., "Millimeter wave induced reversible externalization of phosphatidylserine molecules in cells exposed in vitro," Bioelectromagnetics, vol. 27, no. 3, pp. 233–244, 2006.
- 50. Beneduci, A., Chidichimo, G., Tripepi, S., Perrotta, E., and Cufone, F., "Antiproliferative effect of millimeter radiation on human erythromyeloid leukemia cell line K562 in

culture: Ultrastructuraland metabolic-induced changes," Bioelectrochemistry, vol. 70, no. 2, pp. 214–220, May 2007.

- 51. IEC 62311, IEC Standard Assessment of Electronic and Electrical Equipment Related to Human Exposure Restrictions for Electromagnetic Fields (0 Hz–300 GHz) (2007).
- 52. Zhadobov, M., Sauleau, R., Le Coq, L., Debure, L., Thouroude, D., Michel, D., and Le Dréan, Y., "Low-power millimeter wave radiations do not alter stress-sensitive gene expression of chaperone proteins," Bioelectromagnetics, vol. 28, no. 3, pp. 188–196, 2007.
- Radzievsky, A. A., Gordiienko, O. V., Alekseev, S. I., Szabo, I., Cowan, A., and Ziskin, M. C., "Electromagnetic millimeter wave induced hypoalgesia: Frequency dependence and involvement of endogenous opioids," Bioelectromagnetics, vol. 29, pp. 284–295, 2008.
- 54. Alekseev, S. I., and Ziskin, M. C., "Influence of blood flow and millimeter wave exposure on skin temperature in different thermal models," Bioelectromagnetics, vol. 30, pp. 52–58, 2009.
- 55. ICNIRP (International Commission on Non-Ionizing Radiation Protection), "Exposure to high frequency electromagnetic fields, biological effects and health consequences (100 kHz-300 GHz)," https://www.icnirp.org/en/publications/article/hf-review-2009.html, 2009.
- 56. ICNIRP (International Commission on Non-Ionizing Radiation Protection), ICNIRP statement on the "Guidelines for limiting exposure to time-varying electric, magnetic, and electromagnetic fields (up to 300 GHz),"
  https://www.ionime.org/action.org/actio

https://www.icnirp.org/cms/upload/publications/ICNIRPStatementEMF.pdf, 2009.

- 57. Kojima, M., Hanazawa, M., Yamashiro, Y., Sasaki, H., Watanabe, S., Taki, M., Suzuki, Y., Hirata, A., Kamimura, Y., and Sasaki, K., "Acute ocular injuries caused by 60-Ghz millimeter-wave exposure," Health Physics, vol. 97, pp. 212–218, 2009.
- Nicolaz, C. N., et al., "Absence of direct effect of low-power millimeter-wave radiation at 60.4 GHz on endoplasmic reticulum stress," Cell Biology and Toxicology, vol. 25, no. 5, pp. 471–478, 2009.
- 59. Nicolaz, C. N., et al., "Study of narrow band millimeter-wave potential interactions with endoplasmic reticulum stress sensor genes," Bioelectromagnetics, vol. 30, no. 5, pp. 365–373, 2009.
- 60. Zhadobov, M., Desmots, F., Thouroude, D., Michel, D., and Drean, Y., "Evaluation of the potential biological effects of the 60-GHz millimeter waves upon human cells," IEEE Transactions on Antennas Propagation, vol. 57, no. 10, pp. 2949–2956, 2009.
- 61. IEC 62479, Assessment of the Compliance of Low-Power Electronic and Electrical Equipment with the Basic Restrictions Related to Human Exposure to Electromagnetic Fields (10 MHz to 300 GHz) (2010).
- 62. Institute of Engineering and Technology, Position Statement on the Possible Harmful Biological Effects of Low-Level Electromagnetic Fields of Frequencies up to 300 GHz, <u>https://web.archive.org/web/20100715080536/http://www.theiet.org/factfiles/bioeffects/postat02final.cfm?type=pdf</u>, 2010.
- 63. Kanezaki, A., Hirata, S., Watanabe, S., and Shirai, H., "Parameter variation effects on temperature elevation in a steady-state, one-dimensional thermal model for millimeter wave exposure of one and three-layer human tissue," Physics in Medicine and Biology, vol. 55, pp. 4647–4659, 2010.

- 64. Sypniewska, R. K., Millenbaugh, N. J., et al., "Protein changes in macrophages induced by plasma from rats exposed to 35 GHz millimeter waves," Bioelectromagnetics, vol. 31, no. 8, pp. 656–663, 2010.
- 65. Pikov, V., Arakaki, X., Harrington, V., Fraser, S. E., and Siegel, P. H., "Modulation of neuronal activity and plasma membrane properties with low-power millimeter waves in organotypic cortical slices," Journal of Neural Engineering, vol. 7, pp. 1–9, 2010.
- 66. Wu, G., et al., "Millimeter wave treatment inhibits the mitochondrion-dependent apoptosis pathway in chondrocytes," Molecular Medicine Reports, vol. 4, no. 5, pp. 1001–1006, 2011, <u>https://www.spandidos-publications.com/mmr/4/5/1001</u>.
- 67. Zhadobov, M., Chahat, N., Sauleau, R., Le Quement, C., and Le Drean, Y., "Millimeterwave interactions with the human body: State of knowledge and recent advances," IEEE Transactions on Microwave Theory and Techniques, vol. 3, no. 2, pp. 237–247, 2011, <u>https://www.cambridge.org/core/services/aop-cambridge-</u> <u>core/content/view/44B43B3E7CA335E5E1CD407BE2A1EA29/S1759078711000122a.p</u> <u>df/millimeterwave\_interactions\_with\_the\_human\_body\_state\_of\_knowledge\_and\_recent</u> advances.pdf.
- 68. Li, X., et al., "Millimeter wave treatment promotes chondrocyte proliferation via G 1/S cell cycle transition," International Journal of Molecular Medicine, vol. 29, no. 5, pp. 823–831, 2012, <u>https://www.spandidos-publications.com/ijmm/29/5/823</u>.
- 69. Logani, M. K., Alekseev, S., et al., "Effect of millimeter waves and cyclophosphamide on cytokine regulation," Immunopharmacology and Immunotoxicology, vol. 34, no. 1, pp. 107–112, 2012.
- Shapiro, M. G., Priest, M. F., Siegel, P. H., and Bezanilla. F., "Thermal mechanisms of millimeter wave stimulation of excitable cells," Biophysics Journal, vol. 104, pp. 2622– 2628, 2013, <u>https://core.ac.uk/download/pdf/20045552.pdf</u>.
- Habauzit, D., et al., "Transcriptome analysis reveals the contribution of thermal and the specific effects in cellular response to millimeter wave exposure," PLoS One, vol. 9, no. 10, 2014, <u>https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0109435</u>.
- 72. Le Quément, C., Nicolaz, C. N., Habauzit, D., Zhadobov, M., Sauleau, R., and Le Dréan, Y., "Impact of 60-GHz millimeter waves and corresponding heat effect on endoplasmic reticulum stress sensor gene expression," Bioelectromagnetics, vol. 35, no. 6, pp. 444– 451, 2014.
- Volkova, N. A., Pavlovich, E. V., Gapon, A. A., and Nikolov, O. T., "Effects of millimeter-wave electromagnetic exposure on the morphology and function of human cryopreserved spermatozoa," Bulletin of Experimental Biology and Medicine, vol. 157, no. 5, pp. 587–590, 2014.
- 74. Health Canada, Safety Code 6 Limits of Human Exposure to Radiofrequency Electromagnetic Energy in the Frequency Range from 3 kHz to 300 GHz, news release, and "Understanding Safety Code 6" resource website, https://www.canada.ca/en/healthcanada/services/environmentalworkplace-health/reports-publications/radiation/safetycode-6-health-canada-radiofrequencyexposure-guidelines-environmental-workplacehealth-health-canada.html, 2015.
- 75. Kojima, M., Suzuki, Y., Tsai, C-Y., Sasaki, K., Wake, K., Watanabe, S., Taki, M., Kamimura, Y., Hirata, A., and Sasaki, H., "Characteristics of ocular temperature elevations after exposure to quasi and millimeter waves (18-40 GHz)," Journal of

Infrared, Millimeter, and Terahertz Waves, vol. 36, pp. 390–399, 2015, https://link.springer.com/article/10.1007/s10762-014-0142-4.

- 76. NATO Standardization Agreement 2345 Ed. 4, Military Workplaces—Force Health Protection Regarding Personnel Exposure to Electric, Magnetic, and Electromagnetic Fields, 0 Hz to 300 GHz, 2015.
- 77. Sasaki, K., Isimura, Y., Fujii, K., Wake, K., Watanabe, S., Kojima, M., Suga, R., and Hashimoto, O., "Dielectric property measurement of ocular tissues up to 110 GHz using 1 mm coaxial sensor," Physics in Medicine and Biology, vol. 60, pp. 6273–6288, 2015.
- 78. Wu, T., Rappaport, T. S., and Collins, C. M., "Safe for generations to come: Considerations of safety for millimeter waves in wireless communications," IEEE Microwave Magazine, vol. 16, no. 2, pp. 65–84, 2015.
- 79. Haas, A. J., Le Page, Y., Zhadobov, M., Boriskin, A., Sauleau, R., and Le Dréan, Y., "Impact of 60-GHz millimeter waves on stress and pain-related protein expression in differentiating neuron-like cells," Bioelectromagnetics, vol. 37, no. 7, pp. 444–454, 2016.
- 80. Institute of Engineering and Technology, "Are there harmful biological effects of low level electromagnetic fields at frequencies up to 300 GHz," <u>https://www.theiet.org/impact-society/factfiles/health-and-safety-factfiles/electromagnetic-fields-300ghz/</u>, July 2016.
- 81. Koyama, S., et al., "Effects of long-term exposure to 60 GHz millimeter-wavelength radiation on the genotoxicity and heat shock protein (HSP) expression of cells derived from human eye," International Journal of Environmental Research and Public Health, vol. 13, no. 8, 2016, <u>https://www.mdpi.com/1660-4601/13/8/802.</u>
- 82. Laakso, I., Morimoto, R., Heinon, J., Jokela, K., and Hirata, A., "Human exposure to pulsed fields in the frequency range from 6 to 100 GHz," Physics in Medicine and Biology, vol. 62, no 17, pp. 6980–6992, 2017.
- 83. Partyla, T. H., Hacker, H., Edinger, B., Leutzow, J., Lange, and Usichenko, T., "Remote effects of electromagnetic millimeter waves on experimentally induced cold pain: A double-blinded crossover investigation in healthy volunteers," Anesthesia & Analgesia, vol. 124, pp. 980–985, 2017.
- Sasaki, K., Mizuno, M., Wake, K., and Watanabe, S., "Monte Carlo simulations of skin exposure to electromagnetic field from 10 GHz to 1 THz," Physics in Medicine and Biology, vol. 62, pp. 6993–7010, 2017.
- 85. Alekseev, S. I., and Ziskin, M. C., "Biological effects of millimeter and submillimeter waves." In Greenebaum, B., and Barnes, F. (eds.), Handbook of Biological Effects of Electromagnetic Fields; Vol.1 Biological and Medical Aspects of Electromagnetic Fields, 4th ed. Boca Raton, FL: CRC Press, pp. 179-241, 2018.